



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date	10th August 2000	Version	4.0
Revision date	25th May 2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture APC OUT
mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Effective product, designed for cleaning elevations, roofs and facades from tarry contaminations (soot), dirt of organic origin (plants, insects, excrements, decays) and oil-like pollution
Mixture uses advised against
not available
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name TENZI Sp. z o.o.
Address Skarbimierzyce 20, Dołuje, 72-002
Poland
VAT Reg No PL8512583405
Phone +48 91 3119777
E-mail info@tenzi.pl
Web address www.tenzi.pl
- Competent person responsible for the safety data sheet**
Name technolog@tenzi.pl
E-mail technolog@tenzi.pl
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Skin Corr. 1B, H314
Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment
Causes serious eye damage. Causes severe skin burns and eye damage.

- 2.2. Label elements**
Hazard pictogram



Signal word
Danger

Hazardous substances
Quaternary coco alkyl methyl amine ethoxylate methyl chloride
Alcohols, C12-13, ethoxylated
sodium hydroxide

Hazard statements
H314 Causes severe skin burns and eye damage.

Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date 10th August 2000
Revision date 25th May 2023 Version 4.0

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P405 Store locked up.

Supplemental information

5-<15 % cationic surfactants, <5 % phosphonates, <5 % amphoteric surfactants, <5 % non-ionic surfactants

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1554325-20-0 Registration number: polimer	Quaternary coco alkyl methyl amine ethoxylate methyl chloride	<6	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	
CAS: 160901-19-9 EC: 931-954-4 Registration number: polimer	Alcohols, C12-13, ethoxylated	<5	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 1 % < C ≤ 10 %	
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27-XXXX	sodium hydroxide	<4	Met. Corr. 1, H290 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: 2 % ≤ C < 5 % Skin Corr. 1A, H314: C ≥ 5 % Eye Irrit. 2, H319: 0.5 % ≤ C < 2 % Skin Irrit. 2, H315: 0.5 % ≤ C < 2 %	
CAS: 1334422-09-1 EC: 931-513-6 Registration number: 01-2119513359-38-XXXX	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18 (even numbered) acyl) derivs., inner salts	<3	Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 4 % < C ≤ 10 %	
CAS: 2809-21-4 EC: 220-552-8 Registration number: 01-2119510391-53-XXXX	etidronic acid	<2	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	

Full text of all classifications and hazard statements is given in the section 16.



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date	10th August 2000	Version	4.0
Revision date	25th May 2023		

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

If swallowed

DO NOT INDUCE VOMITING - even the induced vomiting can cause complications as in case of detergents and other foaming substances. Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date	10th August 2000	Version	4.0
Revision date	25th May 2023		

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale aerosols. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Content	Packaging type	Material of package
1000 ml	bottle	HDPE

Storage temperature min 5 °C, max 35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	12.5 mg/kg bw/day			SDS
Workers	Inhalation	44 mg/m ³ /8h			SDS
Consumers	Dermal	7.5 mg/kg bw/day			SDS
Consumers	Oral	7.5 mg/kg bw/day			SDS

etidronic acid

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	6.5 mg/kg	Chronic effects systemic		SDS
Consumers	Oral	6.5 mg/kg	Acute effects systemic		SDS

sodium hydroxide

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	1.0 mg/m ³	Chronic effects local		SDS
Consumers	Inhalation	1.0 mg/m ³	Chronic effects local		SDS



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date	10th August 2000	Version	4.0
Revision date	25th May 2023		

PNEC

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Value	Value determination	Source
Drinking water	0.0135 mg/l		SDS
Marine water	0.00135 mg/l		SDS
Sea sediments	1 mg/kg		SDS
Soil (agricultural)	0.805 mg/kg		SDS

etidronic acid

Route of exposure	Value	Value determination	Source
Drinking water	0.136 mg/l		SDS
Marine water	0.014 mg/l		SDS
Microorganisms in sewage treatment	20 mg/l		SDS
Freshwater sediment	59 mg/kg		SDS
Sea sediments	5.9 mg/kg		SDS
Soil (agricultural)	96 mg/kg		SDS
Oral	0.012 mg/kg		SDS

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Contaminated skin should be washed thoroughly.

Respiratory protection

Under regular circumstances it is not necessary.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	brown
Odour	Characteristic for the materials used
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	14 (undiluted at 20 °C)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date 10th August 2000
Revision date 25th May 2023 Version 4.0

Density data not available
Relative density 1,070 g/cm³ (+-) 0,020
Relative vapour density data not available
Particle characteristics data not available
Form brown liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Skin	LD ₅₀	>620 mg/kg		Rat (Rattus norvegicus)	F/M	Based on evidence	karta karakterystyki
Oral	LD ₅₀	2430 mg/kg		Rat (Rattus norvegicus)	F/M	Based on evidence	karta karakterystyki

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LD ₅₀	>300-2000 mg/kg		Rat (Rattus norvegicus)			karta karakterystyki
Skin	LD ₅₀	>2000 mg/kg		Rabbit	F/M		karta karakterystyki

etidronic acid

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LD ₅₀	3200 mg/kg		Rat (Rattus norvegicus)		Based on evidence	karta karakterystyki



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date 10th August 2000
Revision date 25th May 2023 Version 4.0

etidronic acid

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Inhalation	LD ₅₀	3000 mg/kg		Rat (<i>Rattus norvegicus</i>)		Based on evidence	karta charakterystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LD ₅₀	>300-2000 mg/kg		Rat (<i>Rattus norvegicus</i>)			karta charakterystyki

sodium hydroxide

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Intraperitoneally	LD ₅₀	40 mg/kg		Mouse			SDS
Oral	LDLo	500 mg/kg		Rabbit			SDS
Oral	TDLo	44 mg/kg		Rat (<i>Rattus norvegicus</i>)			SDS

Skin corrosion/irritation

Causes severe skin burns.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Exposure time	Species	Value determination	Source
	Not irritating			Based on evidence	karta charakterystyki

Alcohols, C12-13, ethoxylated

Route of exposure	Result	Exposure time	Species	Value determination	Source
Skin	Not irritating		Rabbit		karta charakterystyki

etidronic acid

Route of exposure	Result	Exposure time	Species	Value determination	Source
	Irritating			Based on evidence	karta charakterystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Route of exposure	Result	Exposure time	Species	Value determination	Source
Dermal	Irritating			Based on evidence	karta charakterystyki

Serious eye damage/irritation

Causes serious eye damage.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Exposure time	Species	Value determination	Source
	Serious eye damage			Based on evidence	karta charakterystyki



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date 10th August 2000
Revision date 25th May 2023 Version 4.0

Alcohols, C12-13, ethoxylated

Route of exposure	Result	Exposure time	Species	Value determination	Source
Eye	Serious eye damage		Rabbit		karta charakterystyki

etidronic acid

Route of exposure	Result	Exposure time	Species	Value determination	Source
	Serious eye damage			Based on evidence	karta charakterystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Route of exposure	Result	Exposure time	Species	Value determination	Source
Eye	Serious eye damage			Based on evidence	karta charakterystyki

Sensitization

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Method	Exposure time	Species	Sex	Value determination	Source
Skin	No effect	OECD 406		Guinea-pig (Cavia aperea f. porcellus)		Based on evidence	karta charakterystyki

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Route of exposure	Result	Exposure time	Species	Sex	Value determination	Source
Skin	No effect		Guinea-pig (Cavia aperea f. porcellus)	F/M		karta charakterystyki

etidronic acid

Route of exposure	Result	Exposure time	Species	Sex	Value determination	Source
	No effect				Based on evidence	karta charakterystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Route of exposure	Result	Exposure time	Species	Sex	Value determination	Source
Inhalation	Not sensitizing				Based on evidence	karta charakterystyki

Mutagenicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Result	Method	Exposure time	Specific target organ	Species	Sex	Value determination	Source
Negative	OECD 471					Based on evidence	karta charakterystyki



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date	10th August 2000	Version	4.0
Revision date	25th May 2023		

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Result	Method	Exposure time	Specific target organ	Species	Sex	Value determination	Source
Negative	OECD 476					Based on evidence	karta charakt erystyki
Negative	OECD 474					Based on evidence	karta charakt erystyki

etidronic acid

Result	Method	Exposure time	Specific target organ	Species	Sex	Value determination	Source
Negative						Based on evidence	karta charakt erystyki

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Result	Method	Exposure time	Specific target organ	Species	Sex	Value determination	Source
No effect	in vivo				F/M		karta charakt erystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Result	Method	Exposure time	Specific target organ	Species	Sex	Value determination	Source
Negative						Based on evidence	karta charakt erystyki

Carcinogenicity

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Result	Species	Sex	Value determination	Source
			Not carcinogenic		F/M		karta charaktery styki

etidronic acid

Route of exposure	Parameter	Value	Result	Species	Sex	Value determination	Source
			Not carcinogenic			Based on evidence	karta charaktery styki

Reproductive toxicity

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Effect	Parameter	Method	Value	Result	Species	Sex	Source
		in vitro		No effect		F/M	karta charaktery styki



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date 10th August 2000
Revision date 25th May 2023 Version 4.0

Alcohols, C12-13, ethoxylated

Effect	Parameter	Method	Value	Result	Species	Sex	Source
Effects on fertility				No effect		F/M	karta charakterystyki

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Result	Species	Sex	Value determination	Source
			No effect				karta charakterystyki

etidronic acid

Route of exposure	Parameter	Value	Result	Species	Sex	Value determination	Source
			Negative			Based on evidence	karta charakterystyki

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Exposure time	Specific target organ	Result	Species	Sex	Source
Oral	NOAEL	50 mg/kg	2 years	Heart	Reduced body weight	Rat (Rattus norvegicus)	F/M	karta charakterystyki

Repeated dose toxicity

etidronic acid

Route of exposure	Parameter	Result	Value	Exposure time	Species	Sex	Value determination	Source
		Negative					Based on evidence	karta charakterystyki

Aspiration hazard

Based on available data the classification criteria are not met.

etidronic acid

Route of exposure	Result	Exposure time	Species	Sex	Value determination	Source
	Negative				Based on evidence	karta charakterystyki

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date	10th August 2000	Version	4.0
Revision date	25th May 2023		

Acute toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Exposure time	Species	Environment	Value determination	Source
EC ₅₀	OECD 202	1.9 mg/l	48 hours	Daphnia (Daphnia magna)		Based on evidence	karta charakterystyki
ErC ₅₀		2.4 mg/kg	72 hours	Algae and other aquatic plants		Indicator of growth	karta charakterystyki
ErC ₅₀		7 mg/l	72 hours	Daphnia (Daphnia magna)		Indicator of growth	karta charakterystyki
LC ₅₀	OECD 203	1.11 mg/l	96 hours	Fish (Oncorhynchus mykiss)			karta charakterystyki

Alcohols, C12-13, ethoxylated

Parameter	Method	Value	Exposure time	Species	Environment	Value determination	Source
LC ₅₀	OECD 203	>1-10 mg/l	96 hours	Fish (Poecilia reticulata)		Literary studies	karta charakterystyki
EC ₅₀	OECD 202	>1-10 mg/l	48 hours	Daphnia (Daphnia magna)		Literary studies	karta charakterystyki
EC ₅₀	OECD 201	>1-10 mg/l	72 hours	Algae (Selenastrum capricornutum)		Literary studies, Observation method, Indicator of growth	karta charakterystyki
NOEC	OECD 201	>1-10 mg/l	72 hours	Algae (Selenastrum capricornutum)		Literary studies, Indicator of growth	karta charakterystyki
EC ₅₀		140 mg/l		Bacteria (Salmonella typhimurium)	Activated sludge	Literary studies	karta charakterystyki
NOEC	OECD 208	220 mg/l				Literary studies, Reproduction	karta charakterystyki
NOEC	OECD 208	10 mg/kg		Higher plants		Literary studies, Indicator of growth	karta charakterystyki

etidronic acid

Parameter	Method	Value	Exposure time	Species	Environment	Value determination	Source
LC ₅₀		350 mg/l	96 hours			Based on evidence	karta charakterystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Parameter	Method	Value	Exposure time	Species	Environment	Value determination	Source
LC ₅₀		>10-100 mg/l	96 hours	Fish (Oncorhynchus mykiss)		Based on evidence	karta charakterystyki



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date 10th August 2000
Revision date 25th May 2023 Version 4.0

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Parameter	Method	Value	Exposure time	Species	Environment	Value determination	Source
EC ₅₀		>1-10 mg/l	48 hours	Daphnia (Daphnia magna)		Based on evidence	karta charakterystyki
EC ₅₀		>1-10 mg/l	72 hours	Algae (Selenastrum capricornutum)		Based on evidence	karta charakterystyki

sodium hydroxide

Parameter	Method	Value	Exposure time	Species	Environment	Value determination	Source
EC ₅₀		40.4 mg/l	48 hours	Aquatic invertebrates (Ceriodaphnia dubia)			SDS
EC ₅₀		22 mg/l	15 minutes	Microorganisms (Photobacterium phosphoreum)			SDS

Chronic toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Exposure time	Species	Environment	Value determination	Source
EC ₅₀		3000 mg/l	16 hours	Bacteria (Salmonella typhimurium)		Based on evidence	karta charakterystyki
NOEC	OECD 211	0.3 mg/l	21 days	Daphnia (Daphnia magna)		Based on evidence	karta charakterystyki
NOEC	OECD 210	0.135 mg/l	100 days	Fish (Oncorhynchus mykiss)		Based on evidence	karta charakterystyki
NOECr		0.6 mg/l	72 hours	Algae and other aquatic plants		Based on evidence	karta charakterystyki

Alcohols, C12-13, ethoxylated

Parameter	Method	Value	Exposure time	Species	Environment	Value determination	Source
EC ₁₀		>0.1-1 mg/l		Fish (Pimephales promelas)		Literary studies	karta charakterystyki
EC ₁₀	OECD 211	>0.1-1 mg/l		Daphnia (Daphnia magna)		Literary studies	karta charakterystyki

etidronic acid

Parameter	Method	Value	Exposure time	Species	Environment	Value determination	Source
EC ₅₀		229 mg/l	48 hours	Daphnia (Daphnia magna)		Based on evidence	karta charakterystyki

12.2. Persistence and degradability



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date 10th August 2000
Revision date 25th May 2023 Version 4.0

Biodegradability

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Exposure time	Environment	Value determination	Result	Source
		95 %	28 days		Based on evidence	Easily biodegradable	karta charakterystyki
		80-90 %	60 days		Based on evidence	Easily biodegradable	karta charakterystyki
	OECD 306	75 %	28 days		Based on evidence	Easily biodegradable	karta charakterystyki

Alcohols, C12-13, ethoxylated

Parameter	Method	Value	Exposure time	Environment	Value determination	Result	Source
	OECD 301B	>60 %	28 days		Literary studies	Easily biodegradable	karta charakterystyki
	OECD 311	>60 %	69 days			Biodegradable	karta charakterystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Parameter	Method	Value	Exposure time	Environment	Value determination	Result	Source
	OECD 301D				Based on evidence	Easily biodegradable	karta charakterystyki

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Alcohols, C12-13, ethoxylated

Parameter	Value	Environment	Temperature	Value determination	Source
Koc	>5000			Literary studies	karta charakterystyki

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date	10th August 2000	Version	4.0
Revision date	25th May 2023		

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1719

14.2. UN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

14.3. Transport hazard class(es)

8 Corrosive substances

14.4. Packing group

III - substances presenting low danger

14.5. Environmental hazards

No

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments


not relevant

Additional information

Hazard identification No.

UN number

Safety signs



8



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date	10th August 2000	Version	4.0
Revision date	25th May 2023		

15.2. Chemical safety assessment

For mixture:

A Chemical Safety Assessment has not been carried out.

For the following substances, mixtures:

Quaternary coco alkyl methyl amine ethoxylate methyl chloride: the manufacturer has not performed the chemical safety assessment

Editronic acid: the manufacturer has not performed a chemical safety assessment

Alcohols, C12-13, ethoxylated: no data available

Sodium hydroxide: the manufacturer has performed a chemical safety assessment

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts: the product contains substances for which a chemical safety assessment is still required

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₁₀	Concentration of a substance when it is affected 10% of the population
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

APC OUT

Creation date	10th August 2000	Version	4.0
Revision date	25th May 2023		

LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Acute Tox.	Acute toxicity
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

Version 4.0 replaces the SDS version of 19/01/2023. Changes have been made to sections 2,15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.